

Specification

Vormatic 23.6" LCD Display



Parameter function	
Display function	
Size	23.6Inch
Screen ratio	16:9
Effective display size	527*296mm (HV)
Package size	639*124*416mm
Resolution	1920 x1080
Brightness	250cd/m2
Contrast ratio	1200:1
View Angle	178° (HV)
Response time	6ms
Video features	3D digital comb filter, 3D image motion noise reduction, 3D motion adaptive comb filter, etc.
Hardware configuration	
CPU	A40I Quad-core ARM A7
Storage	1G DDR3
Memory	NAND FLASH 8G
Decoding resolution	1080P
Operating system (OS)	Android 7.1
Network support	RJ45
Audio output	Dual-channel stereo audio output
Network interface	RJ45
USB Interface	2 USB HOST
Video playback	H.264 MKV WMV9 MPEG 1/2/4 HD Divx Xvid RM/RMVB
Audio playback	MP3,WMA,WAV,EAAC+, MP2 dec, Vorbis(Ogg), AC3, FLAC (Lossless audio) , APE (Lossless Audio) , BSAC
Image playback	BMP/PNG/GIF/JPEG
TXT	TXT
RTC real-time clock	Support

Turn on and off at regular intervals	Support
System upgrade	Support USB/T card
drive-by-wire	
Rocker Switch	High-quality industrial-grade switch, 10,000 times of switching
speaker	2×5W(8Ω)
Sound Mode	Stereo
Input voltage	AC100-240v 50/60HZ
Standby power	≤1W,Support low power standby mode
Power rating	≤50W
Working temperature	-20°C~+60°C
Working humidity	20%~80%
Cabinet structure	
appearance	Safety rounded corner design, aluminum alloy frame, high-quality sheet metal,
design	protection capability 5 years
Glass	Adopt AR double-layer tempered glass, with impact resistance of more than 80MPA
Surface treatment (color)	Sandblasted oxidation Silver frame White with black silk screen
Install	Wall-mounted
Chamfering method	Rounded Corners
Machine weight	15kg
Accessories	
*Power cord, *Key, *Certificate of conformity, *Warranty card	

Appearance size

