
vormatic[®]

e l e c t r o n i c s






WWW.VORMATIC.RU

IP67 Outdoor Display

Bus Station



Bus Station



FACTORY SUPPLY
32" 55" 75"

OUTDOOR DIGITAL SIGNAGE

- 4000 Nits** Brightness
- IP67** Outdoor Fanless
- FREE** Maintenance
- 105%** Color Gamut
- IK10** Anti Reflection
- 3** Years Warranty

Smart City



Outdoor Menu

OUTDOOR LCD MENU BOARD

DRIVER-THRU

FACTORY
SUPPLY

4000 Nits Brightness	IP67 Outdoor Fanless	FREE Maintenance
105% Color Gamut	IK10 Anti Reflection	3 Years Warranty

Drive-thru (QSR)

DRIVE THRU OUTDOOR MENU BOARDS

4000 NITS BRILLIANT

IP67 FANLESS

DRIVE THRU INTERCOM EQUIPMENT



Shopping Mall



4000
Nits
Brightness

IP67
Outdoor
Fanless

105%
Color Gamut

IK10
Anti
Reflection

FREE
Maintenance

**OUTDOOR
DIGITAL
SIGNAGE**

3YEARS WARRANTY


FACTORY SUPPLY

Business Solution

OUTDOOR DIGITAL SIGNAGE
FACTORY SUPPLY

4000 NITS BRIGHTNESS	IP67 OUTDOOR FANLESS	MAINTENANCE FREE	105% COLOR GAMUT	IK10 ANTI REFLECTION	3 YEARS WARRANTY
-----------------------------------	-----------------------------------	----------------------------	-------------------------------	-----------------------------------	-------------------------------

Features



- 32inch
 -1920*1080
 - 4000nits
 - 750*450*126MM

- 43inch
 -1920*1080
 - 4000nits
 - 999*588*125MM

- 55inch
 -1920*1080
 - 4000nits
 - 1268*737*126MM


- 75inch
 -3840*2160
 - 4000nits
 - 1708*982*130MM

Diversified Customization

The compact and stylish VORMATIC Outdoor Displays provide infinite imagination to our clients. The diversified product appearance is achievable for every applications, ceiling mounting, wall mounting and floor standing design, ignoring your enclosure's waterproof function and just design what you need.



Solution from other suppliers



Why VORMATIC?



True Visible

Our products



Other



VS

Why VORMATIC?



Anti-Reflection

Our products

Other



Why VORMATIC?



Long Life time

Our products

Other



VS

50000+ hours design

Why VORMATIC?



Color gamut

Our products



Color gamut 105%

Other



Color gamut 72%


Why choose VORMATIC SOLUTION?

Fan Cooling



Maintenance
FREE

FANLESS



Why choose VORMATIC SOLUTION?

Save Maintenance cost

	Other solutions	S** & L*	VORMATIC solutions
1 year	need maintain 4times	need maintain 4times	Maintenance Free
3 years	May need to buy it again	need maintain 12times	Maintenance Free
5 years	May need to buy it again	May need to buy it again	Maintenance Free
Total	May need to buy it again	12*\$1K=\$ 12,000 Base on local labor travel and maintenance costs	Maintenance Free


MARK : S** & L* after-sales service is based on its strict usage requirements

VS


Comparison	VORMATIC Solution	S** Solution	Other Supplier Solution
Waterproof	IP67	IP56	IP56
Vandal-proof	IK10	IK10	IK08
Operating Temp.	-30~55°C	-30~50°C	-20~50°C
View angle	178/178	178/178	90/90
Process	Optical Bonding, AR glass	No bonding, Magic glass	No bonding, AR glass
Brightness	4000 Nits	2500 Nits	1500~2500 Nits
New Technique	QLED with 105% color gamut	Normal LCD with 72% color gamut	Normal LCD with 72% color gamut
Cooling System	Natural Air-cooling	Fan Cooling	Fan cooling / Air conditioner cooling
Installation & Design	All in one solution with Simple with full waterproof & sealed design, scientific and reasonable ventilated system	The screen is separate from the power box, not fully sealed design. Fan cooling requires regular maintenance.	The filter cotton needs to be replaced regularly
Operating System	IP67 Media Player High Temp. Resistant Easy Maintenance	No Waterproof No High Temp. Resistant	No Waterproof No High Temp. Resistant

Outdoor IP67 Media player

- System: Android OS
- Optional: Windows OS
- Shell Material: Aluminum Alloys
- Operating System: -40°C ~ 55°C
- Waterproof IP67
- High temperature resistant




Optional



Drive Thru Intercom


Optional



Outdoor Project



Outdoor Project








Outdoor Project



Outdoor Project



Production Pictures




WWW.VORMATIC.RU


IP67

Outdoor Black/White Digital Signage

IP67 Outdoor Black/White Digital Signage



Information	
Panel Size	65"
Panel Type	a-Si TFT-LCD
Active area(mm)	1427.48*802.52
Resolution	1920*1080
Contrast Ratio	1200:1
Viewing Angle(Typ.)	89/89/89/89
Aspect Ratio	16:9
Memory	2G RAM
Storage	16G ROM
Network Support	Wifi, RJ45



IP67 Outdoor Black/White Digital Signage



WWW.VORMATIC.RU

IP65

Outdoor Solar Power Digital Signage


IP65 Outdoor Solar Power Digital Signage



VORMATIC Solar Power Digital A Board is with slim thickness and light design, providing you a super easy carry digital A Board; With Solar energy design, you would never need to be afraid of forgetting charging the battery, our display is available to work always and never need to charge; even there is without sun, it could still work for 2 days.

Features

- ✓ IP65 43inch & 32inch
- ✓ Easy to Carry, Light Weight Design
- ✓ High Brightness Equals 2000~3000 Nits
- ✓ Solar Energy Design
- ✓ Battery Recharge Recycling 20,000+ Times
- ✓ Sunlight Readable
- ✓ Fanless & Free Maintenance Design
- ✓ Support Video And Picture Auto Play



Safety battery recharge recycling 20,000+ times

Application Scenarios




WWW.VORMATIC.RU

Window Facing

High Brightness Digital Signage

1-Window Facing—Single sided High Brightness Digital Signage



- ✓ 22inch~86inch
- ✓ 3000~4000nits High Brightness
- ✓ Android system with content management system
- ✓ Support Video Wall Solution
- ✓ Slim Bezel design
- ✓ Built-in temperature control module
- ✓ Smart Brightness Control

Business Solution

High Brightness Window Facing Display

3500
NITS
BRILLIANT

SLIM BEZEL

CMS
SPLICING FUNCTION

Window Facing Display Project



2-Window Facing—Double sided High Brightness Digital Signage



- ✓ 55inch
- ✓ 3000nits+1000nits High Brightness
- ✓ Slim & Bezelless Design
- ✓ High Temperature LCD Panel
- ✓ Android system with content management system
- ✓ Smart Brightness Control
- ✓ Built-in temperature control module

Product Details



Window Facing Display Project




WWW.VORMATIC.RU

Indoor Menu Boards

For Restaurants & Retail Store

Indoor Menu Boards



- ✓ 32 inch, 43 inch and 55 inch
- ✓ Slim Bezel Design
- ✓ Support Battery Operating optional
- ✓ Portable Design Optional
- ✓ Fanless & Noiseless Design
- ✓ Touch Screen Optional
- ✓ HDMI IN/ANDROIDS/WIN10 Optional
- ✓ Black & White Color Optional
- ✓ Android system with CMS Software

Restaurants Solution



Retail Store Solution



robot

WWW.VORMATIC.RU

Self-Service Ordering Kiosk

Restaurants Solution



SELF SERVICE ORDERING & PAYMENT KIOSK

Wall Mount / Tabletop / Floorstanding Solutions


- Camera
- 1D2D Code Scanner
- POS & Printer
- NFC
- ID Card Reader



Features

22inch /27inch/32inch

ORDERING STEPS



Choose the food
Easy operation, convenient to use



Paying
(POS, QR, code scan)



Take the ticket



Take food

Ordering Kiosk Project




Lobby



Supermarket



Book store



Barbershop



Pay property



Unmanned convenience store



Fast food restaurant



Japan EASY GO

Ordering Kiosk Project



WWW.VORMATIC.RU

Stretched Displays


Square Displays

Round Displays

Full Screen Displays





1-Stretched LCD Displays



PERFECT DIGITAL SHELF SOLUTION

for supermarket shelves of different length




- Multi Sizes
- Easy Installation
- USB Plug&Play
- Cloud Remote Control
- HD Resolution
- Sync Play
- Android OS Optional
- Digital Shelf Solutions


Retail Store Solution



Stretched Display Project



2-Square Displays



- ✓ 22inch 26.5inch 33.2 inch 44.9inch
- ✓ Slim Black Bezel
- ✓ Ultra Slim Enclosure Designed
- ✓ Commercial Android Motherboard
- ✓ Viewing angle, 178/178
- ✓ Support USB-Plug Display
- ✓ Fanless and Low-power System

3-Round Displays

23.6 inch round advertising machine parameters

If you customize other sizes, please contact us



operating system:Android5.1 or above

Quad-core high-performance processor, clocked at 1.8G

Customized round UI operation interface

Customized boot animation (can be modified according to customer requirements)

Customized round gallery, video player, resource manager and other operation interfaces

Support automatic switch setting and USB automatic video playback

Support wireless Wi-Fi, wired LAN and optional 4G network module

Support OTG debugging function

Support HDMI video output



Industrial-grade product design with stable and reliable system, convenient operation and beautiful appearance



Retail Store Solution



Square and Round Displays Project




4-Full Screen Displays

A BOARD Style



Floor Standing Style



- ✓ 70inch 75inch 86inch Full LCD screen
- ✓ UHD 4k Resolution
- ✓ Compact design for multiple installations ways, easy installation .
- ✓ Non-touch/ IR Touch optional
- ✓ Free CMS software

Retail Store Solution



Full LCD Screen Project




LEONARD

WWW.VORMATIC.RU

Indoor Digital Signage


1-Wall Mounted Digital Signage



Full screen




Binary screen



Three split screen

- ✓ 10.1inch~110inch Wall Mounted Display
- ✓ Non-touch/ IR Touch/P-CAP Touch optional
- ✓ HDMI In/ Android /Windows System optional
- ✓ Vandal-resistant tempered glass
- ✓ Free CMS software with Android System
- ✓ Black/White/Sliver optional

Wall Mounted Display Project





2-Floor Standing Digital Signage **vormatic®**



- ✓ Available sizes: 32inch~86inch
- ✓ Non-touch/ IR Touch/P-CAP Touch optional
- ✓ HDMI In/ Android /Windows System optional
- ✓ Vandal-resistant tempered glass
- ✓ Free CMS software with Android System
- ✓ Single sided/ Double sided optional
- ✓ Black/White/Sliver optional

Floor Standing Display Project



3-Information Touch Kiosk



- ✓ Available sizes: 21.5inch~86inch
- ✓ IR Touch/P-CAP Touch optional
- ✓ HDMI In/ Android /Windows System optional
- ✓ Vandal-resistant tempered glass
- ✓ Free CMS software with Android
- ✓ Black/White/Sliver optional

Information Touch Kiosk Project



4-Portable Digital Signage



- ✓ Available sizes:32inch~65inch
- ✓ Non-touch/ IR Touch/P-CAP Touch optional
- ✓ HDMI In/ Android /Windows System optional
- ✓ Vandal-resistant tempered glass
- ✓ Free CMS software with Android
- ✓ Black/White optional

Business Solution



Production Pictures



5-Rotatable Digital Signage


Horizontal and vertical screen switching

90° free rotation, the screen can be switched horizontally and vertically



- ✓ Available sizes: 43inch~65inch
- ✓ Non-touch/ IR Touch/P-CAP Touch optional
- ✓ HDMI In/ Android /Windows System optional
- ✓ Vandal-resistant tempered glass
- ✓ Free CMS software with Android
- ✓ Black/White optional

Retail Store Solutions



6-Customized Digital Signage



U
S
E
L
S

WWW.VORMATIC.RU

Ultra-thin Double-Side Digital Signage

1-Ultra-thin Double-Sides Ceiling




- ✓ 43inch 49inch 55inch
- ✓ 20mm (Ultra Thin)
- ✓ Android System with HDMI In
- ✓ Brightness 450nits+450nits, 700nits Optional
- ✓ Free CMS software with Android



Retail Store Solutions




2-Ultra-thin Double-Sides Floor Stand83



- ✓ 43inch 49inch 55inch
- ✓ 20mm Ultra Thin
- ✓ Android System with HDMI In
- ✓ Brightness 450nits+450nits, 700nits Optional
- ✓ Free CMS software with Android



Retail Store Solutions






3-Ultra-thin Double-Sides Ceiling



- ✓ 43inch 49inch 55inch
- ✓ Android System with HDMI In
- ✓ Brightness 700nits+350nits
- ✓ Free CMS software with Android



Retail Store Solutions




V
O
R
M
A
T
I
C

WWW.VORMATIC.RU

Video Wall



Features



- ✓ 43/46/49/55/65/75/86inch
- ✓ Ultra-narrow border:0.88/1.8/3.5/4.7MM
- ✓ Support 4K HD PLAY
- ✓ Brightness 500nits~3500nits
- ✓ Installation methods : Cabinet / Floor standing / Front maintenance / Wall mount
- ✓ Splitter/matrix/processor
- ✓ Complete Video Wall Solution with software
- ✓ HDMI IN/VGA IN/DVI IN/ DP(Optional)

Installation Methods




Front maintenance hydraulic



Wall mount




Cabinet type



Floor-standing


Video Wall Solution-Splitter



Single screen display
Each unit can display the picture



Splitter



Whole bottle display
All cells are synthesized together to show



Splitter

Video Wall Solution-Matrix




Move picture

The cell can be pulled up to the full screen picture , Each unit can display the picture independently




Matrix



Single screen display

Each unit can display the picture independently




Matrix

Video Wall Solution-Processor




Image roaming

Arbitrary movement of a single signal




Processor



Picture in picture display

Displayed in the picture which can display pictures



Processor

Video Wall Project



nteractive

WWW.VORMATIC.RU

Interactive Flat Panel Display



Series H (65/75/86/98/110inch)



Super integrated configuration

Remote communication is clearer

800W pixel camera 6m sound pickup distance
Intelligent noise reduction Echo cancellation



- ✓ Infrared Touch Technology with Minimum 20 Points
- ✓ Surface Morse grade 7 Anti-glare Tempered Glass
- ✓ Built-In Six array microphone & 8.0MegaPixels Camera
- ✓ 2-6meters voice pick up range with echo& noise cancellation
- ✓ Support Dual System Android OS + Windows OS
- ✓ 2 X RJ45 PORT Support 1000M Ethernet;
2.4G/5G Wireless Network, Bluetooth4.0
- ✓ Support Multiple User's Wireless Screen Share

Series B (55/65/75/85/98inch)



DUAL SYSTEM MULTIPLE FEATURE OPTIONS

Efficient and convenient Android system, Windows system can run large software, processing capacity is greatly enhanced



WIRELESS PASS TOUCH WRITING

Make data comparison and solution discussion more convenient and efficient



- ✓ Infrared Touch Technology with Minimum 20 Points
- ✓ Surface Morse grade 7 Anti-glare Tempered Glass
- ✓ 4K Ultra-HD Screen
- ✓ Support Dual System Android OS + Windows OS
- ✓ 2.4G/5G Wireless Network
- ✓ Support Multiple User's Wireless Screen Share
- ✓ Support Multifunctional Interactive Whiteboard Software


Video Conference & Smart Class

Video
Conference
System


Online Video
Conference



Presentations



Screenshare



Interactive Smart
Board

Screen Share



Interactive Class

Smart
Class
System

Application





Transparent

WWW.VORMATIC.RU

Transparent OLED



Variety of designs



- ✓ 55inch Transparent OLED
- ✓ Ultra-narrow border
- ✓ Brightness 400nits
- ✓ Windows system /HDMI IN/
Android System (Optional)
- ✓ IR touch/P-CAP
touch (Optional)

T-OLED Project




Transparent

WWW.VORMATIC.RU

Transparent LCD Showcase

Features

- ✓ 12inch~86inch Transparent LCD
- ✓ Front Door Hydraulic Support
- ✓ Windows system /HDMI IN/Android System(Optional)
- ✓ IR touch/P-CAP touch (Optional)



T-LCD Showcase Project



Lancome



Pepsi

THE
Z
O
M

WWW.VORMATIC.RU

Touch Monitor Open Frame

Features




- ✓ 8inch~110inch Monitor
- ✓ HDMI /DVI/DVI
- ✓ Vandal-resistant tempered glass
- ✓ IR touch/P-CAP touch (Optional)
- ✓ Android system/windows system (Optional)
- ✓ 250nits~3000nits (Optional)
- ✓ Embedded displays (Optional)
- ✓ Open Frame (Optional)



Touch Monitor Solution

Retail Interactive Signage



Self-Service Kiosks



Equipment Control Terminals



Factory HMI Terminals



Wayfinding Kiosks




Medical Facility



WWW.VORMATIC.RU



Elevator LCD Display

Features



- ✓ 15.6inch 18.5inch 21.5inch 23.6inch (Optional)
- ✓ Vandal-resistant tempered glass
- ✓ Ultra-thin design
- ✓ None touch/P-CAP touch (Optional)
- ✓ HDMI IN/Android system/windows system (Optional)

Application





vormatic[®]
electronics

WWW.VORMATIC.RU